

1.

2.

3.

4.

1 :

1

2

3

4

2

1

2

3

4

3 /

/

1

2

3

4

4

1

2

3

4

5

1

2

3

6

1

2

7

1

2

8

1

2

3

9

1

2

3

10

1

2

3

11

1

2

3  
12  
1  
2  
  
13

## 2 AUTOCAD

1.

			60	35.3%	1076
			14	8.2%	224
			74	43.5%	1300
			31.5	18.5%	504
			3	1.8%	48
			34.5	20.3%	552
			10	5.9%	160
			8	4.7%	128
			18	10.6%	288
				126.5	74.4%
( )			34.5	20.3%	144+27w
			3	1.8%	3w
			37.5	22.1%	144+30 w
			6	3.5%	6 w
			170	100.0%	2284+36 w

136

34

2.

26.5

15.6%

61.5

36.2%

34

20%

48

28.2%

		1	2	3	4	5	6	7	8	
		16w	19w	17w	18w	16w	19w	14w		119w
		3w								3w
	( )1			2w						2w
	(VB)				1w					1w
						1w				1w
						1w				1w
						1w				1w
								2w		2w
								1w		1w
								2w		2 w
									3w	3w
		( )							12w	12w
/		1w	1w	1w	1w	1w	1w	1w	1w	9w
		20w	20w	20w	20w	20w	20w	20w	16w	156w

		1	2	3	4	5	6	7	8	
		18.5	26	23.2	25	15.2	15.5	9.1	0	132.5